

Analytical report AR-22-SZ-013156-03



Testing laboratory: Eurofins Food Testing Slovakia s.r.o. Komjatická 73, 940 02 Nové Zámky IČO: 52 601 714 tel.: +421 908810030, +421 911810531 MarketingNZ@eurofins.sk, www.eurofins.sk	Customer: Industrial Innovation Group Europe s. r. o. Na Troskách 26 974 01 Banská Bystrica SLOVAKIA
--	---

Date of Sample Receipt: 02.03.2022

Date of Testing: 02.03.2022 - 08.03.2022

Issue date: 10.03.2022

Information about Sampling:

Sampler: customer

Sample information: 147-2022-00015903

Sample description: Panenský olej zo semien konopy siatej (Cannabis Sativa), lisovaný za studena Leodar®./ Cold pressed hemp seed oil Leodar®

Producer: RS Success Agro, Uzbekistan

Microbiological tests

Parameter	Unit	Allowed Value	Measured Value	Uncertainty of Testing method measurement*	E SL TT
Coliforms	cfu/g	≤ 10	<10	- STN ISO 4832	S NZ A
Moulds	cfu/g	≤ 100	<10	- STN ISO 21527-1	S NZ A

JUDGEMENT

Tested sample is satisfied according to Codex Alimentarius No. 06267/2006-SL of Slovak Republic, part No. 6 - Fats and oils.

Warning: Test results cannot be substituted by any inspection or certification of products.

Notes:

- E - evaluation
- S - satisfied
- NS - not satisfied
- (A) - accredited sampling
- (SA) - accredited sampling executed under the subcontract
- ŠPP - Standard operation procedure
- ND - not detected by given method
- LOQ, LQ – limit of quantification
- CFU - Colony forming unit
- NM - necessary quantity
- m - the highest allowed value at the case of one sample
- M, c - "M" highest allowed value for the number "c" at the case of 5 sample's evaluation
- * - uncertainty determined by extension coefficient k=2 (with probability of 95%) does not include the uncertainty of sampling.
- uncertainty given in % reflects the uncertainty from the result of measurement.
- SL - analysis laboratory: NZ-Nové Zámky, TR-Turcianske Teplice, BA-Bratislava
- TT - type of test
- A - accredited test executed at the own test laboratory
- N - non accredited test executed at the own test laboratory
- SA - accredited test executed under the subcontract
- SN - unaccredited test executed under the subcontract
- (TM) - testing outside the laboratory at the customer

Disclaimer:

Laboratory is a disclaimer when the information is supplied by the customer and can affect the validity of results.
 If the sample has been provided by the customer, the results refer to the sample as it was received.
 Gauges and measuring equipment used for testing were calibrated or attested in accordance with the valid metrological instructions.
 The above mentioned test results refer to the tested sample only!
 The result given in this Test Certificate and marked as non accredited test shall not be a subject of accreditation.
 The result given in this Test Certificate and marked as sub- delivery is the result of a Subcontractors gauging made under the terms and conditions of a contract concluded eith him.
 It's not possible reproduce or incorporate the test certificate into promotional materials without laboratory written authorization!
 SNAS is a Signatory to the Multilateral Agreement MRA ILAC.

Responsible for correctness:

Ludmila Kruteková
Deputy Head of Microbiology laboratory

Worked out by: Ludmila Kruteková
No. of document: 202231012226321



Test Certificate approved by

Ludmila Kruteková
Deputy Head of Microbiology laboratory

